

L Number	Hits	Search Text	DB	Time stamp
-	80	703/3.ccor.	USPAT; US-PGPUB	2004/10/25 09:17
-	82	703/4.ccor.	USPAT; US-PGPUB	2004/10/25 09:06
-	8	((("6528799") or ("6469793") or ("6177218") or ("5891605") or ("5596413") or ("5654540") or ("5631721") or ("5684566"))).PN.	USPAT; US-PGPUB	2004/10/25 16:55
-	1096	kalman and estimator	USPAT; US-PGPUB	2004/10/25 09:22
-	12	(kalman and estimator) and (lithography photolithography)	USPAT; US-PGPUB	2004/10/25 14:57
-	1467	kalman and detector	USPAT; US-PGPUB	2004/10/25 09:22
-	26	(kalman and detector) and (lithography photolithography)	USPAT; US-PGPUB	2004/10/25 09:56
-	17	((kalman and detector) and (lithography photolithography)) and @ad<=20010829	USPAT; US-PGPUB	2004/10/25 09:55
-	8385	scalpel	USPAT; US-PGPUB	2004/10/25 09:55
-	3	(scalpel and (lithography photolithography)) and kalman	USPAT; US-PGPUB	2004/10/25 12:12
-	63	700/30.ccor.	USPAT; US-PGPUB	2004/10/25 09:58
-	1	6609036.URPN.	USPAT	2004/10/25 10:17
-	12	("5115391"   "5654907"   "5682309"   "5687077"   "5865665"   "5918200"   "6092033"   "6163730"   "6285971"   "6519498"   "6584369"   "6609036"   "2002/0026249").PN.	USPAT	2004/10/25 10:17
-	504	scalpel and wafer	USPAT; US-PGPUB	2004/10/26 10:19
-	1	(scalpel and wafer) and kalman	USPAT; US-PGPUB	2004/10/25 12:52
-	276	703/13.ccor.	USPAT; US-PGPUB	2004/10/25 12:53
-	218	708/300.ccor.	USPAT; US-PGPUB	2004/10/26 10:21
-	524	adaptive same kalman	USPAT; US-PGPUB	2004/10/26 11:08
-	2	(adaptive same kalman) and scalpel	USPAT; US-PGPUB	2004/10/26 10:23
-	4	(adaptive same kalman) and (lithography photolithography)	USPAT; US-PGPUB	2004/10/26 10:24
-	259	scalpel and (lithography photolithography)	USPAT; US-PGPUB	2004/10/26 11:08
-	71	adaptive adj kalman	USPAT; US-PGPUB	2004/10/26 11:08
-	1	(adaptive adj kalman) and (lithography photolithography)	USPAT; US-PGPUB	2004/10/26 11:09
-	52	(adaptive adj kalman) and model	USPAT; US-PGPUB	2004/10/26 11:09
-	26	(adaptive adj kalman) and strength	USPAT; US-PGPUB	2004/10/26 11:10
-	13	((adaptive adj kalman) and strength) and @ad<=20010226	USPAT; US-PGPUB	2004/10/26 11:11
-	660	430/30.ccor.	USPAT; US-PGPUB	2004/10/29 12:33

		Results
9.	((pub-date > 1949 and pub-date < 2002 and FULL-TEXT(kalman filter) and FULL-TEXT(model)) and adaptive) and beam) and electron [All Sources(- All Sciences -)]	16
8.	((pub-date > 1949 and pub-date < 2002 and FULL-TEXT(kalman filter) and FULL-TEXT(model)) and adaptive) and beam [All Sources(- All Sciences -)]	77
7.	(pub-date > 1949 and pub-date < 2002 and FULL-TEXT(kalman filter) and FULL-TEXT(model)) and adaptive [All Sources(- All Sciences -)]	1274
6.	pub-date > 1949 and pub-date < 2002 and FULL-TEXT(kalman filter) and FULL-TEXT(model) [All Sources(- All Sciences -)]	3432
5.	(pub-date > 1949 and pub-date < 2002 and FULL-TEXT(scalpel) and FULL-TEXT(model)) and kalman [All Sources(- All Sciences -)]	7
4.	pub-date > 1949 and pub-date < 2002 and FULL-TEXT(scalpel) and FULL-TEXT(model) [All Sources(- All Sciences -)]	4075
3.	pub-date > 1949 and pub-date < 2002 and FULL-TEXT(adaptive kalman filter) and FULL-TEXT(model) [All Sources(- All Sciences -)]	67
2.	pub-date > 1949 and pub-date < 2002 and FULL-TEXT(lithography or photolithography) and FULL-TEXT(adaptive) [All Sources(- All Sciences -)]	153
1.	pub-date > 1949 and pub-date < 2002 and FULL-TEXT(lithography or photolithography) and FULL-TEXT(kalman) [All Sources(- All Sciences -)]	14


Copyright © 2004 Elsevier B.V. All rights reserved.  
ScienceDirect® is a registered trademark of Elsevier B.V.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

## Full-text Search Prototype Results

[Feedback](#) [Help](#)
Your search matched **18** of **1043339** documents.A maximum of **500** results are displayed, **50** to a page, sorted by **Publication year** in **Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set

## Results Key:

JNL = Journal or Magazine   CNF = Conference   STD = Standard

1 Etch profile control of high-aspect ratio deep submicrometer  $\alpha$ -Si gate etch

Hyun-Mog Park; Grimard, D.S.; Grizzle, J.W.; Terry, F.L., Jr.;

Semiconductor Manufacturing, IEEE Transactions on, Volume: 14, Issue: 3, Aug. 2001

Pages:242 - 254

[\[Abstract\]](#)   [\[PDF Full-Text \(264 KB\)\]](#)   IEEE JNL

## 2 Subject Index

Proceedings of the IEEE, Volume: 89, Issue: 12, Dec. 2001

Pages:1864 - 1902

[\[Abstract\]](#)   [\[PDF Full-Text \(282 KB\)\]](#)   IEEE JNL

## 3 Shape-based optimal estimation and design of curve evolution processes with application to plasma etching

Berg, J.M.; Zhou, N.;

Automatic Control, IEEE Transactions on, Volume: 46, Issue: 12, Dec. 2001

Pages:1862 - 1873

[\[Abstract\]](#)   [\[PDF Full-Text \(303 KB\)\]](#)   IEEE JNL

## 4 Subject Index

Semiconductor Manufacturing, IEEE Transactions on, Volume: 14, Issue: 4, Nov. 2001

Pages:423 - 428

[\[Abstract\]](#)   [\[PDF Full-Text \(48 KB\)\]](#)   IEEE JNL

## 5 IEEE transactions on magnetism cumulative index 1985-2000 volumes 21-36 [Subject Index]

Magnetism, IEEE Transactions on, Volume: 37, Issue: 6, Nov 2001

Pages:467 - 1288

[\[Abstract\]](#)   [\[PDF Full-Text \(7236 KB\)\]](#)   IEEE JNL

**6 Time-frequency formulation, design, and implementation of time-varying optimal filters for signal estimation**

*Hlawatsch, F.; Matz, G.; Kirchauer, H.; Kozek, W.;*

Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on], Volume: 48, Issue: 5, May 2000

Pages:1417 - 1432

[[Abstract](#)] [[PDF Full-Text \(584 KB\)](#)] IEEE JNL

---

**7 Adaptive optimization of run-to-run controllers: the EWMA example**

*Patel, N.S.; Jenkins, S.T.;*

Semiconductor Manufacturing, IEEE Transactions on, Volume: 13, Issue: 1, Feb. 2000

Pages:97 - 107

[[Abstract](#)] [[PDF Full-Text \(252 KB\)](#)] IEEE JNL

---

**8 Subject Index**

Biomedical Engineering, IEEE Transactions on, Volume: 47, Issue: 12, Dec. 2000

Pages:1628 - 1647

[[Abstract](#)] [[PDF Full-Text \(164 KB\)](#)] IEEE JNL

---

**9 Curve evolution models for real-time identification with application to plasma etching**

*Berg, J.; Yezzi, A.; Tannenbaum, A.;*

Automatic Control, IEEE Transactions on, Volume: 44, Issue: 1, Jan. 1999

Pages:99 - 102

[[Abstract](#)] [[PDF Full-Text \(188 KB\)](#)] IEEE JNL

---

**10 Robustifying nonlinear systems using high-order neural network controllers**

*Rovithakis, G.A.;*

Automatic Control, IEEE Transactions on, Volume: 44, Issue: 1, Jan. 1999

Pages:102 - 108

[[Abstract](#)] [[PDF Full-Text \(244 KB\)](#)] IEEE JNL

---

**11 Subject Index**

Proceedings of the IEEE, Volume: 87, Issue: 12, Dec. 1999

Pages:Ind-13 - Ind-50

[[Abstract](#)] [[PDF Full-Text \(568 KB\)](#)] IEEE JNL

---

**12 1998 Index Proceedings Of The Ieee Vols. 84-86**

Proceedings of the IEEE, Volume: 86, Issue: 12, Dec. 1998

Pages:O\_3 - O\_53

[[Abstract](#)] [[PDF Full-Text \(752 KB\)](#)] IEEE JNL

---

**13 Optimal seismic deconvolution: distributed algorithms**

*Plataniotis, K.N.; Katsikas, S.K.; Lainiotis, D.G.; Venetsanopoulos, A.N.;*

Geoscience and Remote Sensing, IEEE Transactions on, Volume: 36, Issue: 3, May 1998

Pages:779 - 792

[[Abstract](#)] [[PDF Full-Text \(392 KB\)](#)] IEEE JNL

---

**14 Subject Index**

Magnetics, IEEE Transactions on, Volume: 34, Issue: 6, Nov. 1998

Pages:33 - 103

[[Abstract](#)] [[PDF Full-Text \(952 KB\)](#)] IEEE JNL

---

**15 Chaos in MEMS, parameter estimation and its potential application**

Wang, Y.C.; Adams, S.G.; Thorp, J.S.; MacDonald, N.C.; Hartwell, P.; Bertsch, F.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [see also Circuits and Systems I: Regular Papers, IEEE Transactions on] , Volume: 45 , Issue: 10 , Oct. 1998  
Pages:1013 - 1020

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) IEEE JNL

---

**16 1997 Index Proceedings Of The IEEE Vols. 83-85**

Proceedings of the IEEE , Volume: 85 , Issue: 12 , Dec. 1997

Pages:1 - 47

[\[Abstract\]](#) [\[PDF Full-Text \(1884 KB\)\]](#) IEEE JNL

---

**17 1997 Index IEEE Transactions On Instrumentation And Measurement Vol. 46**

Instrumentation and Measurement, IEEE Transactions on , Volume: 46 , Issue: 6 , Dec. 1997

Pages:1 - 37

[\[Abstract\]](#) [\[PDF Full-Text \(1464 KB\)\]](#) IEEE JNL

---

**18 Control of photoresist properties: a Kalman filter based approach**

Palmer, E.; Wei Pen; Spanos, C.J.;

Semiconductor Manufacturing, IEEE Transactions on , Volume: 9 , Issue: 2 , May 1996  
Pages:208 - 214

[\[Abstract\]](#) [\[PDF Full-Text \(660 KB\)\]](#) IEEE JNL

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

## Full-text Search Prototype Results

[Feedback](#) [Help](#)
Your search matched **7** of **1043339** documents.A maximum of **500** results are displayed, **50** to a page, sorted by **Publication year** in **Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set

## Results Key:

JNL = Journal or Magazine   CNF = Conference   STD = Standard

## 1 IEEE transactions on magnetics cumulative index 1985-2000 volumes 21-36 [Subject Index]

Magnetism, IEEE Transactions on , Volume: 37 , Issue: 6 , Nov 2001  
Pages:467 - 1288
[\[Abstract\]](#)   [\[PDF Full-Text \(7236 KB\)\]](#)   IEEE JNL

## 2 Time-frequency formulation, design, and implementation of time-varying optimal filters for signal estimation

Hlawatsch, F.; Matz, G.; Kirchauer, H.; Kozek, W.;  
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on] , Volume: 48 , Issue: 5 , May 2000  
Pages:1417 - 1432
[\[Abstract\]](#)   [\[PDF Full-Text \(584 KB\)\]](#)   IEEE JNL

## 3 Adaptive optimization of run-to-run controllers: the EWMA example

Patel, N.S.; Jenkins, S.T.;  
Semiconductor Manufacturing, IEEE Transactions on , Volume: 13 , Issue: 1 , Feb. 2000  
Pages:97 - 107
[\[Abstract\]](#)   [\[PDF Full-Text \(252 KB\)\]](#)   IEEE JNL

## 4 Curve evolution models for real-time identification with application to plasma etching

Berg, J.; Yezzi, A.; Tannenbaum, A.;  
Automatic Control, IEEE Transactions on , Volume: 44 , Issue: 1 , Jan. 1999  
Pages:99 - 102
[\[Abstract\]](#)   [\[PDF Full-Text \(188 KB\)\]](#)   IEEE JNL

## 5 Robustifying nonlinear systems using high-order neural network controllers

Rovithakis, G.A.;  
Automatic Control, IEEE Transactions on , Volume: 44 , Issue: 1 , Jan. 1999  
Pages:102 - 108
[\[Abstract\]](#)   [\[PDF Full-Text \(244 KB\)\]](#)   IEEE JNL

---

**6 Optimal seismic deconvolution: distributed algorithms***Plataniotis, K.N.; Katsikas, S.K.; Lainiotis, D.G.; Venetsanopoulos, A.N.;*

Geoscience and Remote Sensing, IEEE Transactions on , Volume: 36 , Issue: 3 , May 1998

Pages:779 - 792

[\[Abstract\]](#) [\[PDF Full-Text \(392 KB\)\]](#) [IEEE JNL](#)

---

**7 Subject Index**

Magnetics, IEEE Transactions on , Volume: 34 , Issue: 6 , Nov. 1998

Pages:33 - 103

[\[Abstract\]](#) [\[PDF Full-Text \(952 KB\)\]](#) [IEEE JNL](#)

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

## Full-text Search Prototype Results

[Feedback](#) [Help](#)
Your search matched **20** of **1043339** documents.A maximum of **500** results are displayed, **50** to a page, sorted by **Publication year** in **Descending** order.

## Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

scalpel&lt;and&gt;(lithograph\*&lt;or&gt;photolithograph\*)

☐ Check to search within this result set

## Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

## 1 Limits of lithography

Harriott, L.R.;

Proceedings of the IEEE, Volume: 89, Issue: 3, March 2001

Pages:366 - 374

[\[Abstract\]](#) [\[PDF Full-Text \(136 KB\)\]](#) IEEE JNL

## 2 Flexible polyimide-based intracortical electrode arrays with bioactive capability

Rousche, P.J.; Pellinen, D.S.; Pivin, D.P., Jr.; Williams, J.C.; Vetter, R.J.; Kirke, D.R.;

Biomedical Engineering, IEEE Transactions on, Volume: 48, Issue: 3, March 2001

Pages:361 - 371

[\[Abstract\]](#) [\[PDF Full-Text \(216 KB\)\]](#) IEEE JNL

## 3 An integrated plasma equipment - feature scale model for the Bosch deep Si etch process

Rauf, S.; Ventzek, P.L.G.; Dauksher, W.J.;

Pulsed Power Plasma Science, 2001. IEEE Conference Record - Abstracts, 17-22 June 2001

Pages:474

[\[Abstract\]](#) [\[PDF Full-Text \(58 KB\)\]](#) IEEE CNF

## 4 History of optical trapping and manipulation of small-neutral particle, atoms, and molecules

Ashkin, A.;

Selected Topics in Quantum Electronics, IEEE Journal of, Volume: 6, Issue: 6, Nov.-Dec. 2000

Pages:841 - 856

[\[Abstract\]](#) [\[PDF Full-Text \(256 KB\)\]](#) IEEE JNL

## 5 Simulation of Coulomb interactions in electron projection lithography using scattering contrast

Yamashita, H.; Munro, E.; Rouse, J.; Nomura, E.; Kobinata, H.; Nakajima, K.; Nozue, H.;

Microprocesses and Nanotechnology Conference, 2000 International, 11-13 July 2000

Pages:136 - 137

[\[Abstract\]](#) [\[PDF Full-Text \(128 KB\)\]](#) IEEE CNF

## 6 Critical dimension issues for 200 mm electron projection masks



*Resnick, D.J.; Nordquist, K.; Dauksher, W.J.; Ainley, E.; Lu, B.; Mangat, P.; Weisbrod, E.; Martin, C.; Wei, A.; Englestad, R.; Lovell, E.; Ivin, V.;*  
Microprocesses and Nanotechnology Conference, 2000 International , 11-13 July 2000  
Pages:120 - 121

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) IEEE CNF

---

**7 Simulation of electron and ion beam optics for high throughput lithography**

*Zhu, X.; Liu, H.; Munro, E.; Rouse, J.;*  
Microprocesses and Nanotechnology Conference, 2000 International , 11-13 July 2000  
Pages:134 - 135

[\[Abstract\]](#) [\[PDF Full-Text \(208 KB\)\]](#) IEEE CNF

---

**8 EB projection lithography for 60-80 nm ULSI fabrication**

*Tokunaga, K.; Koba, F.; Miyasaka, M.; Takaishi, Y.; Noda, K.; Yamashita, H.; Nakajima, K.; Nozue, H.;*  
VLSI Technology, 2000. Digest of Technical Papers. 2000 Symposium on , 13-15 June 2000  
Pages:54 - 55

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) IEEE CNF

---

**9 Electron scattering and related phenomena in SCALPEL™**

*Mkrtchyan, M.M.;*  
Microprocesses and Nanotechnology Conference, 2000 International , 11-13 July 2000  
Pages:118

[\[Abstract\]](#) [\[PDF Full-Text \(64 KB\)\]](#) IEEE CNF

---

**10 A uniform, large-area thermionic cathode as a high emittance electron source for the SCALPEL(R) tool**

*Katsap, V.; Sewell, P.B.; Kwaskiewicz, W.K.; Zhu, W.;*  
Vacuum Electronics Conference, 2000. Abstracts. International , 2-4 May 2000  
Pages:2 pp.

[\[Abstract\]](#) [\[PDF Full-Text \(236 KB\)\]](#) IEEE CNF

---

**11 Contrast evaluation of SCALPEL GHOST method in 100 kV electron projection lithography**

*Koba, F.; Yamashita, H.; Nomura, E.; Nakajima, K.; Nozue, H.;*  
Microprocesses and Nanotechnology Conference, 2000 International , 11-13 July 2000  
Pages:122 - 123

[\[Abstract\]](#) [\[PDF Full-Text \(128 KB\)\]](#) IEEE CNF

---

**12 Grid-controlled 100-kV electron-beam source for SCALPEL [lithography]**

*Katsap, V.; Waskiewicz, W.K.; Sewell, P.B.; Rouse, J.A.; Read, F.H.;*  
Vacuum Electronics Conference, 2000. Abstracts. International , 2-4 May 2000  
Pages:2 pp.

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) IEEE CNF

---

**13 A new role for e-beam: electron projection**

*Harriott, L.R.;*  
Spectrum, IEEE , Volume: 36 , Issue: 7 , July 1999  
Pages:41 - 45

[\[Abstract\]](#) [\[PDF Full-Text \(512 KB\)\]](#) IEEE JNL

---

**14 Extreme ultraviolet lithography**

*Stulen, R.H.; Sweeney, D.W.;*  
Quantum Electronics, IEEE Journal of , Volume: 35 , Issue: 5 , May 1999  
Pages:694 - 699

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) IEEE JNL

---

**15 CMOS technology-year 2010 and beyond**

*Iwai, H.;*

Solid-State Circuits, IEEE Journal of , Volume: 34 , Issue: 3 , March 1999  
Pages:357 - 366

[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) IEEE JNL

---

**16 Spatial distribution of mask-scattered electrons through scattering stencil mask**

*Yamashita, H.; Manako, S.; Nomura, E.; Nakajima, K.; Nozue, H.;*

Microprocesses and Nanotechnology Conference, 1999. Digest of Papers. Microprocesses and Nanotechnology '99. 1999 International , 6-8 July 1999  
Pages:30 - 31

[\[Abstract\]](#) [\[PDF Full-Text \(108 KB\)\]](#) IEEE CNF

---

**17 SCALPEL: projection electron beam lithography**

*Harriott, L.R.;*

Particle Accelerator Conference, 1999. Proceedings of the 1999 , Volume: 1 , 27 March-2 April 1999  
Pages:595 - 599 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(608 KB\)\]](#) IEEE CNF

---

**18 Impact of high resolution lithography on IC mask design**

*Pugh, G.; Canning, J.; Roman, B.;*

Custom Integrated Circuits Conference, 1998., Proceedings of the IEEE 1998 , 11-14 May 1998  
Pages:149 - 153

[\[Abstract\]](#) [\[PDF Full-Text \(572 KB\)\]](#) IEEE CNF

---

**19 A history of the invention of the transistor and where it will lead us**

*Brinkman, W.F.; Haggan, D.E.; Troutman, W.W.;*

Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 12 , Dec. 1997  
Pages:1858 - 1865

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) IEEE JNL

---

**20 Back cover**

Lightwave Technology, Journal of , Volume: 4 , Issue: 12 , Dec 1986  
Pages:0 - 0

[\[Abstract\]](#) [\[PDF Full-Text \(3344 KB\)\]](#) IEEE JNL

---

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

**IEEE Enterprise**

- ☐ Access the IEEE Enterprise File Cabinet

**Print Format**
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

**Full-text Search Prototype Results**
[Feedback](#) [Help](#)
Your search matched **1** of **1043339** documents.A maximum of **500** results are displayed, **50** to a page, sorted by **Publication year** in **Descending** order.
**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

scalpel&lt;and&gt;estimator

☐ Check to search within this result set

**Results Key:**

JNL = Journal or Magazine   CNF = Conference   STD = Standard

**1 Asymptotic theory of greedy approximations to minimal k-point random graphs**

Hero, A.O., III.; Michel, O.J.J.;

Information Theory, IEEE Transactions on , Volume: 45 , Issue: 6 , Sept. 1999

Pages:1921 - 1938

[\[Abstract\]](#)   [\[PDF Full-Text \(628 KB\)\]](#)   [IEEE JNL](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before March 2001

Terms used

Found 19 of 110,471

[kalman](#) [model](#) [estimator](#) [measurement](#) [adaptive lithography](#) [photolithography](#)
Sort results by 
[Save results to a Binder](#)
[Try an Advanced Search](#)
Display results 
[Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 19 of 19

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Confidence intervals for univariate discrete-event simulation output using the Kalman filter](#)

 Randall B. Howard, Mark A. Gallagher, Kenneth W. Bauer, Peter S. Maybeck  
 December 1992 **Proceedings of the 24th conference on Winter simulation**

Full text available: pdf(737.93 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

### 2 [Adaptive joint multiuser detection and channel estimation in multipath fading CDMA channels](#)

 Xiaodong Wang, H. Vincent Poor  
 November 1998 **Wireless Networks**, Volume 4 Issue 6

Full text available: pdf(387.24 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The problem of joint multiuser detection and channel estimation in frequency-selective Rayleigh fading CDMA channels is considered. First the optimal multiuser detector for such channels is derived, which is seen to have a computational complexity exponential in the product of the number of users and the length of the transmitted data sequence. Two suboptimal detectors are then developed and analyzed, both of which employ decorrelating filters at the front-ends to eliminate the multiple-access ...

### 3 [A control-theoretic approach to flow control](#)

 S. Keshav  
 January 1995 **ACM SIGCOMM Computer Communication Review**, Volume 25 Issue 1

Full text available: pdf(1.32 MB)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper presents a control-theoretic approach to reactive flow control in networks that do not reserve bandwidth. We assume a round-robin-like queue service discipline in the output queues of the network's switches, and propose deterministic and stochastic models for a single conversation in a network of such switches. These models motivate the Packet-Pair rate probing technique, and a provably stable rate-based flow control scheme. A Kalman state estimator is derived from discrete-time state ...

### 4 [The computation of optical flow](#)

 S. S. Beauchemin, J. L. Barron  
 September 1995 **ACM Computing Surveys (CSUR)**, Volume 27 Issue 3

Full text available: pdf(3.06 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Two-dimensional image motion is the projection of the three-dimensional motion of objects, relative to a visual sensor, onto its image plane. Sequences of time-ordered images allow the estimation of projected two-dimensional image motion as either instantaneous image velocities or discrete image displacements. These are usually called the optical flow field or the image velocity field. Provided that optical flow is a reliable approximation to two-dimensional ...

### 5 [SCAAT: incremental tracking with incomplete information](#)

 Greg Welch, Gary Bishop  
 August 1997 **Proceedings of the 24th annual conference on Computer graphics and interactive techniques**

Full text available:  pdf(104.69 KB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Kalman filter, autocalibration, calibration, delay, feature tracking, latency, sensor fusion, virtual environments tracking

6 A control-theoretic approach to flow control

Srinivasan Keshav

August 1991 **ACM SIGCOMM Computer Communication Review , Proceedings of the conference on Communications architecture & protocols**, Volume 21 Issue 4

Full text available:  pdf(1.48 MB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

7 Real-time estimation of the parameters of long-range dependence

Matthew Roughan, Darryl Veitch, Patrice Abry

August 2000 **IEEE/ACM Transactions on Networking (TON)**, Volume 8 Issue 4

Full text available:  pdf(237.43 KB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Hurst parameter, estimation, fractal, long-range dependence, on-line, real-time, self-similar, traffic modeling, wavelets

8 Subspace methods for blind joint channel estimation and multiuser detection in CDMA systems

Xiaodong Wang, H. Vincent Poor

January 2000 **Wireless Networks**, Volume 6 Issue 1

Full text available:  pdf(249.64 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Recently developed subspace techniques for blind adaptive multiuser detection are briefly reviewed first. In particular, blind methods based on signal subspace tracking for adapting linear multiuser detectors in AWGN CDMA channels are considered, as well as extensions of these techniques to frequency selective fading channels, dispersive channels, and antenna array spatial processing. In addition, subspace-based nonlinear adaptive techniques for robust blind multiuser detection in non-

9 Parameter identification methods for metamodeling simulations

Don Caughlin



November 1996 **Proceedings of the 28th conference on Winter simulation**

Full text available:  pdf(7.14.50 KB)Additional Information: [full citation](#), [references](#)

10 Improving static and dynamic registration in an optical see-through HMD

Ronald Azuma, Gary Bishop

July 1994 **Proceedings of the 21st annual conference on Computer graphics and interactive techniques**

Full text available:  pdf(321.33 KB)  ps(1.65 MB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



In Augmented Reality, see-through HMDs superimpose virtual 3D objects on the real world. This technology has the potential to enhance a user's perception and interaction with the real world. However, many Augmented Reality applications will not be accepted until we can accurately register virtual objects with their real counterparts. In previous systems, such registration was achieved only from a limited range of viewpoints, when the user kept his head still. This paper offers improved regi ...

**Keywords:** augmented reality, calibration, registration

11 3D position, attitude and shape input using video tracking of hands and lips

Andrew Blake, Michael Isard

July 1994 **Proceedings of the 21st annual conference on Computer graphics and interactive techniques**

Full text available:  pdf(341.03 KB)  ps(1.65 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Recent developments in video-tracking allow the outlines of moving, natural objects in a video-camera input stream to be tracked live, at full video-rate. Previous systems have been available to do this for specially illuminated objects or for naturally illuminated but polyhedral objects. Other systems have been able to track nonpolyhedral objects in motion, in some cases from live video, but following only centroids or key-points rather than tracking whole curves. The system described here ...

## 12 Stochastic version of second-order (Newton-Raphson) optimization using only function measurements

James C. Spall

December 1995

**Proceedings of the 27th conference on Winter simulation**

Full text available:  pdf(579.39 KB)



Additional Information: [full citation](#), [references](#), [index terms](#)

## 13 A frequency-domain analysis of head-motion prediction

Ronald Azuma, Gary Bishop

September 1995

**Proceedings of the 22nd annual conference on Computer graphics and interactive techniques**

Full text available:  pdf(401.93 KB)  ps(629.89 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** HMD, augmented reality, delay compensation, spectral analysis

## 14 Ada Compiler Evaluation Capability (ACEC) data analysis: an overview

Air Force Systems Command

January 1990

**ACM SIGAda Ada Letters , Proceedings of the working group on Ada performance issues 1990, Volume X Issue 3**

Full text available:  pdf(1.08 MB)

Additional Information: [full citation](#), [references](#), [index terms](#)

## 15 Papers: ESW4: enhanced scheme for WWW computing in wireless communication environments

Stathes Hadjiefthymiades, Lazaros Merakos

October 1999

**ACM SIGCOMM Computer Communication Review, Volume 29 Issue 5**

Full text available:  pdf(1.18 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Mobile computing is considered of major importance to the computing industry for the forthcoming years due to the progress in the wireless communications domain. In this paper, we present a proxy-based architecture, called ESW4, which manages to accelerate Web browsing in wireless CPNs. Proxy caches, maintained in base stations, are constantly relocated to accompany the roaming user. We discuss a cache management scheme involving the relocation of full caches to the most candidate cells but also ...

## 16 On hop-by-hop rate-based congestion control

Partho Pratim Mishra, Hemant Kanakia, Satish K. Tripathi

April 1996

**IEEE/ACM Transactions on Networking (TON), Volume 4 Issue 2**

Full text available:  pdf(1.51 MB)


Additional Information: [full citation](#), [references](#), [index terms](#)

## 17 Real-time APL prototype of a GPS system

Henry M. Beisner, Jack G. Rudd, Robert H. Benner

June 1996

**ACM SIGAPL APL Quote Quad , Proceedings of the conference on Designing the future, Volume 26 Issue 4**

Full text available:  pdf(822.15 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Global Positioning System (GPS) consists of a constellation of 24 high-altitude satellites with very accurate atomic clocks, along with a global network of satellite tracking stations and sophisticated ground processing stations, that together provide precise navigation coordinates to any user who possesses a small, readily available GPS receiver. The precision that is achieved depends on [1] the number of GPS satellites in view of the user and the geometries involved; [2] the design of the use ...

**18 The ControlShell component-based real-time programming system, and its application to the Marsokhod Martian Rover**

Stan Schneider, Vincent Chen, Jay Steele, Gerardo Pardo-Castellote

November 1995 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1995 workshop on Languages, compilers, & tools for real-time systems**, Volume 30 Issue 11

Full text available:  pdf(1.39 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Real-time system software is notoriously hard to share and reuse. This paper walks through the methodology and application of ControlShell, a component-based programming system for real-time system software development. ControlShell combines graphical system-building tools, an execution-time configuration manager, a real-time matrix package, and an object name service into an integrated development environment. It targets complex systems that require on-line reconfiguration and strategic control ...

**19 The CMUnited-97 robotic soccer team: perception and multiagent control**

Manuela Veloso, Peter Stone, Kwun Han

May 1998 **Proceedings of the second international conference on Autonomous agents**

Full text available:  pdf(1.00 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 19 of 19

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☒ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before March 2001

Terms used **kalman filter lithography photolithography**

Found 3 of 110,471

Sort results by 
☒ Save results to a Binder

[Try an Advanced Search](#)
Display results 
☒ Search Tips

[Try this search in The ACM Guide](#)
☒ Open results in a new window

Results 1 - 3 of 3

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Selected topics in CAD systems: Rapid prototyping using high density interconnects](#)

 Richard Hartley, Kenneth Welles, Michael Hartman, Paul Delano, Abhijit Chatterjee  
 March 1990 **Proceedings of the conference on European design automation**
Full text available: ☒ pdf(530.53 KB)Additional Information: [full citation](#), [abstract](#), [references](#)

This paper introduces the (DIODES) system for the rapid prototyping of DSP electronic systems. DIODES merges silicon compiler and high-density interconnect technology with the goal of prototyping hardware systems as quickly as possible --- within one day. Working from a high-level algorithmic description of a DSP algorithm, DIODES will determine which chips from an inventory of specially designed chips are needed to implement the design. These chips are then placed on a prepared substrate and ro ...

### 2 [Confidence intervals for univariate discrete-event simulation output using the Kalman filter](#)

 Randall B. Howard, Mark A. Gallagher, Kenneth W. Bauer, Peter S. Maybeck  
 December 1992 **Proceedings of the 24th conference on Winter simulation**
Full text available: ☒ pdf(737.93 KB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

### 3 [Estimation of motion and position of a rigid object using a sequence of images \(tridimensional Kalman filter approach\)](#)

 R. Vasquez, J. Mayora  
 April 1999 **Proceedings of the 19th annual conference on Computer Science**
Full text available: ☒ pdf(598.01 KB)Additional Information: [full citation](#), [references](#)

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: ☒ Adobe Acrobat ☒ QuickTime ☒ Windows Media Player ☒ Real Player



Find: [Documents](#)[Citations](#)Searching for **PHRASE adaptive kalman filter**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)15 documents found. **Order: number of citations.**

[Stochastic Recurrent Networks: Prediction and Classification of.. - Kehagias \(1991\)](#) (Correct) (3 citations)  
 Algorithm For The Calculation Of The **Adaptive Kalman Filter** Coefficients. Ieee Ac, 14(2)215-218,  
<ftp.cis.ohio-state.edu/pub/neuroprose/kehagias.srn2.ps.Z>

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).**

[Occlusion Robust Adaptive Template Tracking - Hieu Nguyen Marcel \(2001\)](#) (Correct) (2 citations)  
 Tracking template intensity using a robust **adaptive Kalman filter** 2.1. Template matching based tracking  
[carol.wins.uva.nl/~tat/pub/363\\_nguyen\\_h2.ps.gz](http://carol.wins.uva.nl/~tat/pub/363_nguyen_h2.ps.gz)

[Smoothing Of Noisy Ar Signals Using An Adaptive - Kalman Filter Gerhard](#) (Correct)  
 1 Smoothing Of Noisy Ar Signals Using An **Adaptive Kalman Filter** Gerhard Doblinger Institut Fur  
[www.nt.tuwien.ac.at/nthft/dipl\\_diss\\_veroeff/papers/db\\_eusip98pap.ps](http://www.nt.tuwien.ac.at/nthft/dipl_diss_veroeff/papers/db_eusip98pap.ps)

[An Adaptive Procedure - For Carrier Phase-Based \(2001\)](#) (Correct)  
 related to the physical environment. An **adaptive Kalman filter** has been proposed for real-time  
[www.gmat.unsw.edu.au/snap/staff/./publications/dai\\_etal2001i.pdf](http://www.gmat.unsw.edu.au/snap/staff/./publications/dai_etal2001i.pdf)

[An Adaptive Kalman Filter For The Enhancement Of Noisy AR Signals - Doblinger \(1998\)](#) (Correct)  
 31-June 3, 1998, Monterey, California 1 An **Adaptive Kalman Filter** For The Enhancement Of Noisy Ar Signals  
[www.nt.tuwien.ac.at/nthft/dipl\\_diss\\_veroeff/papers/db\\_iscas98.ps](http://www.nt.tuwien.ac.at/nthft/dipl_diss_veroeff/papers/db_iscas98.ps)

[Template Tracking Using Color Invariant Pixel Features - Hieu Nguyen And \(2002\)](#) (Correct)  
 features are smoothed by robust and **adaptive Kalman filters**, one to each pixel, making the method  
[carol.wins.uva.nl/~tat/pub/nguyen1525.pdf](http://carol.wins.uva.nl/~tat/pub/nguyen1525.pdf)

[Kalman Filter Enhancement for UAV Navigation - Roger Johnson Jerzy \(2002\)](#) (Correct)  
 fuzzy rules to choose parameters of an **adaptive Kalman filter**. The other uses inherent parallelism to  
[www-ece.engr.ucf.edu/~jza/publications/scsc2002-1.pdf](http://www-ece.engr.ucf.edu/~jza/publications/scsc2002-1.pdf)

[An Adaptive Model of Rotating Machinery Subject to.. - Zhan, Makis, Jardine](#) (Correct)  
 of rotating machinery by means of noise-**adaptive Kalman filtering** algorithm and spectral analysis in  
[fie.engrng.pitt.edu/iie2002/proceedings/ierc/papers/2066.pdf](http://fie.engrng.pitt.edu/iie2002/proceedings/ierc/papers/2066.pdf)

[Robust Adaptive Kalman Filters for Linear.. - Stochastic..](#) (Correct)  
 Robust **Adaptive Kalman Filters** for Linear Time-Varying Systems with  
[ece.www.ecn.purdue.edu/~ragu/onr/rob-est/refs/kalman1.ps](http://ece.www.ecn.purdue.edu/~ragu/onr/rob-est/refs/kalman1.ps)

[An Adaptive Stochastic State Observer In The Presence Of .. - Ludmila Mihaylova Nikola \(1999\)](#) (Correct)  
 , P I O D I e , 0 3.2 Augmented **Adaptive Kalman Filter** The parameter estimates, computed by the  
[www.mech.kuleuven.ac.be/~lmihaylo/avt99.pdf](http://www.mech.kuleuven.ac.be/~lmihaylo/avt99.pdf)

[Adaptive Autoregressive Models Of Time Series - Mihaylova](#) (Correct)  
 4. Estimation With An Augmented **Adaptive Kalman Filter** The Parameter Estimates, Computed By The  
[www.mech.kuleuven.ac.be/~lmihaylo/avt20.pdf](http://www.mech.kuleuven.ac.be/~lmihaylo/avt20.pdf)

[Linear Algorithm to Identify Non-Linear Response of.. - Tadanobu Sato Professor](#) (Correct)  
[rongo.ce.jhu.edu/emd99/sessions/sessions/papers/sato1.pdf](http://rongo.ce.jhu.edu/emd99/sessions/sessions/papers/sato1.pdf)

[UAV Navigation Based On Parallel Extended Kalman Filter - Sasiadek, Wang, Johnson, ..](#) (Correct)  
 in favor of discrete equations with Fuzzy **Adaptive Kalman Filter** led to some interesting results did not  
[www-ece.engr.ucf.edu/~jza/publications/kalman.pdf](http://www-ece.engr.ucf.edu/~jza/publications/kalman.pdf)

Spatiotemporal Adaptive 3-D Kalman Filter for Video - Kim, Woods (Correct)

environments. Keywords-spatiotemporal **adaptive Kalman filter**, motion compensation, reduced update  
[ipl.rpi.edu/publications/./KimIP97.ps.gz](http://ipl.rpi.edu/publications/./KimIP97.ps.gz)

Geometric Modeling of Vehicle Paths and Confidence Regions - Ball, Wegman (Correct)

filter. The extended Kalman filter and the **adaptive Kalman filter** have also been used as a means of  
[www.galaxy.gmu.edu/stats/./papers/ball.ps](http://www.galaxy.gmu.edu/stats/./papers/ball.ps)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Find: (photolithography or lithography) and

Documents

Citations

Searching for (photolithography or lithography) and model.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

6 documents found. Order: number of citations.

[Reducing The Variance Of Cycle Times In Semiconductor.. - Mittler, Schömig.. \(1995\) \(Correct\) \(13 citations\)](#)

these operations involve cleaning, deposition, **lithography**, etching, ion implantation and testing. Note, mix that can only be approximated by a queueing **model** it is possible that the actual bottleneck is and then tested and improved by the Performance **Modelling** Group of Universität Würzburg, Germany. There [www-info3.informatik.uni-wuerzburg.de/TR/tr109.ps.gz](http://www-info3.informatik.uni-wuerzburg.de/TR/tr109.ps.gz)

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).[Logic Testing of Bridging Faults in CMOS Integrated Circuits - Chess \(1996\) \(Correct\) \(1 citation\)](#)

result of specks of contaminants on the IC or **photolithography** during manufacturing. The way a defect result in shorts [11]The single stuck-at fault **model** was adopted because it is powerful and simple, exhibited by shorts requires a bridging fault **model**. The first step to generating bridging fault [sctest.cse.ucsc.edu/papers/1996/tcom.bridge.ps](http://sctest.cse.ucsc.edu/papers/1996/tcom.bridge.ps)

[Rational Nanoelectronic Device Design - A definition of another .. - Michalewicz \(Correct\)](#)

atomic layer. Patterning is performed using nano-**lithography** techniques such as electron and ion-beam soon reach a cross-over point where the size of the **modelled** or simulated physical system, at the atomistic the fabricated device. It will then be possible to **model** operational characteristics of a nano-device with [www.mel.dit.csiro.au/~marek/papers/rational.ps](http://www.mel.dit.csiro.au/~marek/papers/rational.ps)

[Cellular Automata and Artificial Life - Computation and Life in.. - Morita \(1998\) \(Correct\)](#)

since present techniques such as **photolithography** will become useless. Below, we investigate under the reversibility constraint, and show our **models** of one- and two-dimensional universal RCAs. Next, universal RCAs. Next, we explain a self-reproducing **model** on a two-dimensional RCA and its mechanism. Our [kepi.ke.sys.hiroshima-u.ac.jp/~morita/1998/Mor98Ra.ps](http://kepi.ke.sys.hiroshima-u.ac.jp/~morita/1998/Mor98Ra.ps)

[Electron Reflection and Interference in the.. - North, Simmons.. \(1997\) \(Correct\)](#)

this required small (5m5m) electron beam **lithography** (EBL) defined mesas. Extrinsic voltage drops of the second AIAs RTD barrier. An Airy function **model** of device transmission and current is presented. Brown et al. used a small signal RTD equivalent **model** to examine the role of intrinsic device [publish.aps.org/eprint/gateway/epget/aps1997jul10\\_002/derived/main.ps](http://publish.aps.org/eprint/gateway/epget/aps1997jul10_002/derived/main.ps)

[Journal Of Microelectromechanical Systems, Vol. 4, No. 4, December .. - Mb Er \(1995\) \(Correct\)](#)

that combines electroplating with conventional **lithography**, materials, and equipment. A microactuator the rigid body. Therefore, the resulting mechanical **model** becomes that of a simple cantilever beam which is long and narrow magnets in a magnetic field can be **modeled** using the concept of "effective magnetic [www-bsac.eecs.berkeley.edu/archive/journal/jmems/1995\\_v4\\_n4/jjudy.ps](http://www-bsac.eecs.berkeley.edu/archive/journal/jmems/1995_v4_n4/jjudy.ps)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Find:

[Documents](#)

[Citations](#)

Searching for **(photolithography or lithography) and kalman filter**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

Order: number of citations.

[The Set-Valued Run-to-Run Controller in Semiconductor.. - Zhang \(1999\)](#) [\(Correct\)](#)  
could be applied the RtR control method are **photolithography**, chemical mechanical planarization #CMP#  
quality control #OAQC# 5# method and the **Kalman Filter** approach #18# They are limited to  
[www.isr.umd.edu/TechReports/ISR/1999/TR\\_99-64/TR\\_99-64.pdf](http://www.isr.umd.edu/TechReports/ISR/1999/TR_99-64/TR_99-64.pdf)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Find:

[Documents](#)

[Citations](#)

Searching for **(photolithography or lithography) and scalpel**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

2 documents found. Order: number of citations.

[Unknown](#) - [\(Correct\)](#)

Projection Electron Beam for Sub -Optical **Lithography**"presented at EIPBN '97, 27th -30th May, SPIE 3048 (1997 )42 J.L. R. Harriott, **SCALPEL** Projection Electron Beam for Sub -Optical W. M. Simpson, R. Tarascon, and G. P. Watson, **SCALPEL** masks "BACUS/SPIE (1994 )44 JW. K. 143.129.203.3/visielab/exstaff/jedrasik/.../theses/jedrasik/chap1bib.pdf

[Appl. Phys. A 73, 273--279 \(2001\) / Digital Object..](#) - [Applied Phys Materials](#) [\(Correct\)](#)

manufacturing, e.g. LiGA technology (deep X-ray **lithography**, electroforming and molding) 1-3] and sample 2525 mm 2 has been freshly cleaved with a **scalpel** in order to obtain an adsorbate-free surface off from the masters by lifting them with a **scalpel** or a pair of tweezers (Fig. 2d)In the case of pmm08.physik.hu-berlin.de/publikat/diebel1.pdf

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Find: [Documents](#)[Citations](#)Searching for **scalpel and model**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

2 documents found. Order: number of citations.

[An Interactive Model of the Human Thigh for Simulating.. - Cagatay Basdogan \(1996\)](#) (Correct) (2 citations)

Our current system includes **models** of a **scalpel**, scissors, wound probe, retractor, forceps, and Annual Meeting of ASME, Nov. 1996 An Interactive **Model** of the Human Thigh for Simulating Surgical NH Abstract We have developed an interactive 3D **model** of the human thigh along with a set of surgical touchlab.mit.edu/people/cagatay/asme96\_paperV3.ps

**One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).**[Epistemological Pitfalls in Metaphor Comprehension: A.. - Veale, Keane \(1995\)](#) (Correct)

form the basis of an initial match hypothesis. **Scalpel** Cleaver from Surgeon from Butcher Figure 1: A Figure 1: A dormant linkage between the concepts **Scalpel** and Cleaver is deemed to provide a plausible in Metaphor Comprehension: A Comparison of Three **Models** and a New Theory of Metaphor Tony Veale 1 ftp.cs.tcd.ie/pub/tech-reports/reports.95/TCD-CS-95-25.ps.gz

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)